

Custom Dairy and Beef Cattle Product

Active Ingredient: Rabon

Control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

(Other Ingredients) _____	_____ lb
Rabon 7.76% Premix (35.2 g/lb)	_____ lb
Total	_____ lb

This feed contains _____ grams of Rabon per ton

FEEDING DIRECTIONS

Hand feed at the rate of _____ lb/day to _____ lb cattle to provide .07 g (70 mg or 0.00015 lb) Rabon per 100 lb body weight per head per day.

Rations containing Rabon 7.76% Premix may be fed up to slaughter and to lactating dairy cows without withholding milk from marketing during or after treatment.

Start feeding Rabon 7.76% Premix containing feed early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

Rabon 7.76% Premix prevents the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle and house flies in treated swine, but it is not effective against adult flies.

In order to achieve optimum fly control, Rabon 7.76% Premix should be used in conjunction with other good management and sanitation practices.

MIXING DIRECTIONS

Cattle: The Rabon requirement for cattle (all classifications) is .07 grams per 100 lb body weight per day. Use the following steps to determine the amount of the Rabon 7.76% Premix to add to grain mixes or minerals:

1. Multiply animal body weight in cwt by .07.
2. Multiply by 2000 lb per ton.
3. Divide by the lb of feed fed per head per day.
4. Divide by 35.27 g/lb (amount of Rabon in Rabon 7.76% Premix).
5. The result is the pounds of Rabon 7.76% Premix to add per ton of grain mix or mineral.

Example: 1000-lb beef cow eating .25 lb (4 oz) of mineral per day.

$10 \times .07 = .7 \times 2000 = 1400 \div .25 = 5600 \div 35.27 = 158.7$ lb Rabon 7.76% Premix/ton of mineral

RABON CAUTION: Keep out of reach of children. Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. For personal protective equipment (PPE), mixers and handlers must wear; long-sleeved shirt and pants, shoes and socks and chemical resistant gloves. User safety requirements are to follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. User safety recommendations are that users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. This pesticide is toxic to fish. Do not contaminate water when disposing of equipment wash water.