

Custom Mix Swine Feed MEDICATED

Active Drug Ingredient: TILICOSIN

This feed contains _____ grams per ton of Tilmicosin (Pulmotil)

Caution: Federal law limits this drug to use under the professional supervision of a licensed veterinarian. Animal feed bearing or containing this veterinary feed directive drug shall be fed to animals only by or upon a lawful veterinary feed directive issued by a licensed veterinarian in the course of the veterinarian's professional practice.

181-363 g/ton	For the control of swine respiratory disease associated with <i>Actinobacillus pleuropneumoniae</i> and <i>Pasteurella multocida</i> .
----------------------	--

Feed continuously as the sole ration for a 21-day period, beginning approximately 7 days before an expected disease outbreak. Feed containing tilmicosin shall not be fed to pigs for more than 21 days during each phase of production without ceasing administration for re-evaluation of antimicrobial use by a licensed veterinarian before reinitiating further course of therapy with an appropriate antimicrobial.

Warning: Withdraw 7 days prior to slaughter.

Caution: Do not allow horses or other equine access to feeds containing tilmicosin. The safety of tilmicosin has not been established in male swine intended for breeding purposes. Do not use in feed containing bentonite. Bentonite in feeds may affect the efficacy of Tilmicosin.