Custom Swine Product

Active Ingredient: Rabon

Control of fecal flies in manure of treated swin treated swine.	ne. Prevents development of house flies in the manure of
(Other Ingredients)	lb
Rabon 7.76% Premix (35.2 g/lb)	lb
To	otallb
This feed contains grams of Rabon	per ton

FEEDING DIRECTIONS

Feed to swine at the rate to provide .05 g (50 mg or 0.00010 lb) Rabon per 100 lb body weight per head per day.

Start feeding Rabon 7.76% Premix containing feed early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity. Rabon 7.76% Premix prevents the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle and house flies in treated swine, but it is not effective against adult flies. In order to achieve optimum fly control, Rabon 7.76% Premix should be used in conjunction with other good management and sanitation practices.

MIXING DIRECTIONS

Guidelines for swine diets:

Pigs (weaners to markets weight): Mix 1.3 lb if Rabon 7.76% Premix per ton of meal-type feed and offer free-choice. This is equivalent to 22.7 mg Rabon per lb (45.4 g/ton) of feed.

Sows, boars, and breeding gilts: Mix 2.6 lb of Rabon 7.76% Premix per ton of meal-type feed and offer 4-6 lb of feed per animal per day. This is equivalent to 45.4 mg Rabon per lb (90.8 g/ton) of feed.

RABON CAUTION: Keep out of reach of children. Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. For personal protective equipment (PPE), mixers and handlers must wear; long-sleeved shirt and pants, shoes and socks and chemical resistant gloves. User safety requirements are to follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. User safety recommendations are that users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. This pesticide is toxic to fish. Do not contaminate water when disposing of equipment wash water.