

Custom Mix Swine Feed MEDICATED

Active Drug Ingredient: FENBENDAZOLE

This feed contains _____ grams per ton of Fenbendazole (Safe-Guard)*

A total of 9 mg/kg (4.08 mg/lb) of body weight divided over a period of 3-12 days	For the removal of Lungworms: <i>Metastrongylus apri</i> , <i>Metastrongylus pudendotectus</i> . Gastrointestinal worms: Adult and larvae (L ₃ , L ₄ stages, liver, lung, intestinal forms) large roundworm (<i>Ascaris suum</i>); nodular (<i>Oesophagostomum dentatum</i> , <i>Ornithostrongylus quadrispinulatum</i>); small stomach (<i>Hyostromylus rubidus</i>); Adult and larvae (L ₂ , L ₃ , L ₄ stages-intestinal mucosal forms) whipworm (<i>Trichuris suis</i>). Kidneyworm: Adult and larvae <i>Stephanurus dentatus</i> . Consult veterinarian for assistance in the diagnosis, treatment and control of parasitism. No withdrawal time needed.
---	--

*Grams per ton divided by 2 is equivalent to milligrams per pound.

To determine the amount (lb) of feed that one pig should consume in 3 to 12 days, use the following formula:

$$= \frac{\text{Avg body wt of pig (lb)} \times 4.08 \text{ mg/lb}}{\text{Concentration of fenbendazole in complete feed (mg/lb)}}$$

Example using a complete feed with 49 g/ton (24.5 mg/lb) and a 60-lb pig:

$$= \frac{60 \text{ lb} \times 4.08 \text{ mg/lb}}{24.5 \text{ mg/lb fenbendazole}}$$

$$= 10 \text{ lb feed that the pig needs to consume in 3 to 12 days}$$